

## 600 Series Antistatic Nitrile Cots

Material : Made from 100% Nitrile Rubber Latex.

### General Features

- > Blended antistatic agents with latex for consistent surface resistivity
- > Ultra washing to reduce ionic contamination and other particles
- > Free from latex proteins
- > Reduce particles and other contamination through chlorine process
- > Suitable for ESD sensitive components
- > Excellent oil, grease and chemical resistance
- > Range of colours available with minimum order quantity



### Product Specification

#### Dimension 600S

Description	Small	Medium	Large	X-Large
Colour	White			
Length (mm) :	70 +/- 5			
Thickness (mm) :	0.09 +/- 0.03			
Flat Width (mm) :	23 +/- 1	25 +/- 1	28 +/- 1	30 +/- 2
Surface Resistivity (ohm/square) :	10 <sup>10</sup> - 10 <sup>12</sup>			

### Physical Properties

- Tensile Strength : 16 Mpa
- Elongation at Break : 500%

### Standard Packaging

**Packing type :** 5 gross per LDDPE bag vacuum packed / 40 bags per carton

**Weight :** 12 kgs - 13 kgs per carton

**Special packaging available upon request**

### Storage

- Product must be stored in a cool and dry place below 25°C
- Avoid heat ,direct sunlight and chemical damages

### Shelf Life

- 2 years storage condition